HYDROVELVET

PAD FOR WATER-BASED PRODUCTS



WOOD NATURAL STONE CEMENT-BASED AGGLOMERATES TERRACOTTA

TYPICAL USE

- For manual application of waterbased impregnating agents on wood.
- For the application of water-based protective products on natural stone, terracotta tiles and cement-based agglomerates.

BENEFITS

- Makes product application fast.
- **Easy** to use.
- → Improves distribution of product over the surface.
- Convenient handle.
- Prevents product dripping.

APPLICATION METHOD

Before use:

 Check that the surface of the pad is clean.

How to use the pad:

Pour the product directly onto the surface to be treated or onto the pad (when treating vertical surfaces) and spread uniformly.

How to replace the pad:

Withdraw the worn pad and insert the new one into the guides in the handle until it locks in place.

Cleaning the tool:

Follow the instructions for the product being used. In general, to remove residues, just wash the tool with water immediately after use. Using aggressive detergents and solvents is not recommended.





WARNINGS

Wear gloves and protective clothing during use.

STORAGI

Store the product in its original container, in a cool and ventilated place, away from heat sources.

PACK SIZES

- ⇒ Pouch containing: 1 large pad (width: 8.2 cm; length: 20.3 cm) and 1 handle for large pad (box contains 16 pieces)
- ⊃ Pouch containing: 3 large pads (width: 8.2 cm; length: 20,3 cm) (box contains 24 pieces)

Transport packaging consists of ECO-SUSTAINABLE PALLETS (with certification of use of wood sourced from PEFC-certified forests).